



Congress PARDORAMA



GENERAL:

The newly built Pardorama restaurant is situated 2,620 m above sea level at the Pardatschgrat in Ischgl. The event location can be reached in about 15 minutes by taking the Pardatschgratbahn ropeway from Ischgl.

The steel structure of the new restaurant has a tonnage of about 1,300 tons and a glass façade with an area of approx. 1,000 sqm.

The self-service restaurant seats 450 people, the serviced restaurant provides space for up to 220 people. The congress area can host events for up to 200 people.

KEY DATA FOR HALL

	Size
HALL	200 sqm
Movable stage	40 sqm

STAGE LIGHTING

Control:

Stored in the switching panel, the AC612 unit serves the easy retrieval of preset cue states.

The dimming features 24 (á 5 A) channels, located on the traverse system which is equipped with DMX control signal and permanent supplies (á 16 A) for effect devices.

A DMX port for a light operator is located at the back of the hall on the right-hand side.

Lanterns	Number	Power W	Type
Floodlights	6	1,000	TECLUMEN, Linea
Lens spots	2	1,000	TECLUMEN, Curva, fresnell
Profile spots	2	575	Source Four, Junior 25-50°
Effect spots	10	1,000	PAR 64, CP61 NSP

SOUND SYSTEM

SCRAFT 8+4/2 Mixer M8 mixing console

Number of symmetric cables from the room to the direction board: 52

SOURCE DEVICES

Device	Number	Brand	Type
Radio tuner	1	Denon	TU255
DVD-VCR Combi	1	Sony	SLV-D980

MICROPHONES

Type	System	Numb	Brand	Type
Handheld microphone	wired	1	SHURE	SM58S
Desktop microphone	wired	3	SHURE	MX412DS
Headset	wireless	1	SHURE	WBH-53T
Handheld microphone	wireless	1	SHURE	SM58
Receiver	wireless	2	SHURE	SLX4

ACCESSORIES

Device	Number	Brand	Type
Microphone stands	2	K&M	210/9
Line Isolationbox Chinch	5	Palmer	PLI03
Movable stage platforms Incl. staircase with rail	20	Mott	Unistage Profi 100x200
Mobile flip chart with 2 plug-in sidearms, 1060x740mm, movable base with wheels			

LOUDSPEAKERS

Position	Number	Power	dB SPL	Brand	Type
Traverse	4	350	123	Meyer Sound	UPM-1P

VIDEO TECHNOLOGY

- The hall features a large display screen 600 cm in width and 600 cm in height
- Projector with 5000 ANSI-lumen and XGA resolution
- Mounted, 360° pivot video camera

The room is equipped with several sockets for video and VGA signal inputs. The video and VGA sources are switched with a matrix.

AUTOMATION

The mobile radio touch panel of the media control system controls the following functions:

- Display screen control
- Room light scenes, darkening
- Control source devices and their volume
- Projector control
- Video and VGA routings
- Retrieval of preset lighting scenes

Contact person:

Restaurant manager
Seidler Harald

Phone: +43 /5444 / 606 - 800

Mobile: +43 / 664 / 606 17 104

E-Mail: harald.seidler@silvretta.at